

# COMMERCIAL <u>PRODUC</u>T GUIDE





#### MAN

| PRODUCT   | FEATURES   | APPLICATION  | SPECIFICATION                                      |
|---|--|--|--|
| ENGINE OILS<br>TAURUS EURO PLUS<br>10W-40/TAURUS<br>EURO 5 10W-40 | LOW SAPS<br>EXTENDED OIL DRAIN<br>GREATER PROTECTION | ALL MAN ENGINES  | M 3477<br>OIL CHANGE INTERVAL:<br>UP TO 120,000 km |
| TAURUS XHPD<br>10W-40/TAURUS<br>VALIANT 10W-40                    | EXTENDED OIL DRAIN<br>GREATER PROTECTION             | OLDER MAN AND<br>CUMMINS ENGINES<br>(EURO 3 AND BELOW) | M 3277<br>OIL CHANGE INTERVAL:<br>UP TO 120,000 km |
| TAURUS SHPD E7<br>15W-40  | STANDARD OIL DRAIN                                   | OLDER MAN AND<br>CUMMINS ENGINES<br>(EURO 3 AND BELOW) | M 3275<br>OIL CHANGE INTERVAL:<br>UP T0 60,000 km  |

| PRODUCT                                     | FEATURES  | APPLICATION                              | SPECIFICATION |
|---|---|--|---------------|
| GEAR OILS<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>IMPROVED FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL MANUAL GEARBOXES<br>EXCEPT TIPTRONIC | M 3343 S      |
| ATHENA SUPER M<br>80W-90                    | STANDARD OIL DRAIN  | ALL MANUAL GEARBOXES<br>EXCEPT TIPTRONIC | M 3343 M      |
| AUTOTRANS MVA                               | NORMAL OIL DRAIN  | ALL AUTOMATIC<br>GEARBOXES               | M 339 V1, Z1  |

| PRODUCT                                       | FEATURES  | APPLICATION | SPECIFICATION |
|---|---|-------------|---------------|
| FINAL DRIVE<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>IMPROVED FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL AXLES   | M 342 Type S1 |
| ATHENA SUPER M<br>80W-90                      | NORMAL OIL DRAIN  | ALL AXLES   | M 3343 M      |

### RENAULT

| PRODUCT   | FEATURES  | APPLICATION | SPECIFICATION                                     |
|---|---|-------------|---|
| ENGINE OILS<br>TAURUS EURO PLUS<br>10W-40/TAURUS<br>EURO 5 10W-40 | LOW SAPS<br>EXTENDED OIL DRAIN<br>GREATER PROTECTION              | ALL ENGINES | RXD<br>OIL CHANGE INTERVAL:<br>UP TO 100,000 km   |
| TAURUS SHPD<br>FE 15W-30  | IMPROVED FUEL ECONOMY<br>GREATER PROTECTION<br>EXTENDED OIL DRAIN | ALL ENGINES | RLD-3<br>OIL CHANGE INTERVAL:<br>UP TO 100,000 km |
| TAURUS SHPD<br>E7 15W-40  | NORMAL OIL DRAIN  | ALL ENGINES | RLD-2<br>OIL CHANGE INTERVAL:<br>UP TO 80,000 km  |

| PRODUCT                                     | FEATURES  | APPLICATION                               | SPECIFICATION |
|---|---|---|---------------|
| GEAR OILS<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>IMPROVED FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL MANUAL GEARBOXES<br>EXCEPT OPTI-DRIVE | API GL-4/5    |
| ATHENA SUPER M<br>80W-90                    | NORMAL OIL DRAIN  | ALL MANUAL GEARBOXES<br>EXCEPT OPTI-DRIVE | API GL-4/5    |
| AUTOTRANS MVA                               | NORMAL DRAIN  | MOST AUTOMATIC                            |               |

| PRODUCT                                       | FEATURES   | APPLICATION | SPECIFICATION |
|---|--|-------------|---------------|
| FINAL DRIVE<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL AXLES   | MIL-PRF-2105E |
| ATHENA SUPER M<br>80W-90                      | GREATER PROTECTION<br>NORMAL OIL DRAIN                   | ALL AXLES   | MIL-PRF-2105E |
| ATHENA HD 80W-90                              | NORMAL OIL DRAIN   | ALL AXLES   | API GL-5      |

## DAF

| PRODUCT   | FEATURES   | APPLICATION                   | SPECIFICATION                                       |
|---|--|-------------------------------|---|
| ENGINE OILS<br>TAURUS EURO PLUS<br>10W-40/TAURUS<br>EURO 5 10W-40 | LOW SAPS<br>EXTENDED OIL DRAIN<br>GREATER PROTECTION | ALL DAF ENGINES               | ACEA E6<br>OIL CHANGE INTERVAL:<br>UP TO 150,000 km |
| TAURUS XHPD<br>10W-40/TAURUS<br>VALIANT 10W-40                    | EXTENDED OIL DRAIN<br>GREATER PROTECTION             | ALL ENGINES EXCEPT<br>MX & PR | ACEA E4<br>OIL CHANGE INTERVAL:<br>UP T0 120,000 km |
| TAURUS SHPD E7<br>15W-40  | NORMAL OIL DRAIN                                     | ALL ENGINES EXCEPT<br>MX & PR | ACEA E7<br>OIL CHANGE INTERVAL:<br>UP TO 75,000 km  |

| PRODUCT                                     | FEATURES                               | APPLICATION                              | SPECIFICATION |
|---|--|--|---------------|
| GEAR OILS<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>NORMAL OIL DRAIN | ALL MANUAL GEARBOXES<br>EXCEPT AS TRONIC | API GL-4/5    |
| ATHENA SUPER M<br>80W-90                    | NORMAL OIL DRAIN                       | ALL MANUAL GEARBOXES<br>EXCEPT AS TRONIC | API GL-4/5    |
| AUTOTRANS MVA                               | NORMAL OIL DRAIN<br>GREATER PROTECTION | MOST AUTOMATIC<br>GEARBOXES              |               |

| PRODUCT                                       | FEATURES  | APPLICATION                           | SPECIFICATION |
|---|---|---------------------------------------|---------------|
| FINAL DRIVE<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>IMPROVED FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL AXLES                             | MIL-PRF-2105E |
| ATHENA SUPER M<br>80W-90                      | NORMAL OIL DRAIN  | ALL AXLES                             | MIL-PRF-2105E |
| ATHENA HD<br>85W-140                          | NORMAL OIL DRAIN  | ALL AXLES APART FROM<br>MIL-PRF-2105E | API GL-5      |

#### VOLVO

| PRODUCT                  | FEATURES           | APPLICATION | SPECIFICATION                                    |
|--------------------------|--------------------|-------------|--|
| ENGINE OILS              | EXTENDED OIL DRAIN | ALL ENGINES | VDS-4  |
| TAURUS SHPD E9           | MID SAPS           |             | OIL CHANGE INTERVAL:                             |
| 15W-40                   | GREATER PROTECTION |             | UP T0 100,000 km                                 |
| TAURUS EURO PLUS         | EXTENDED OIL DRAIN | ALL ENGINES | VDS-3  |
| 10W-40/TAURUS            | LOW SAPS           |             | OIL CHANGE INTERVAL:                             |
| EURO 5 10W-40            | GREATER PROTECTION |             | UP TO 80,000 km                                  |
| TAURUS SHPD E7<br>15W-40 | EXTENDED OIL DRAIN | ALL ENGINES | VDS-3<br>OIL CHANGE INTERVAL:<br>UP TO 80,000 km |

| PRODUCT                       | FEATURES         | APPLICATION                               | SPECIFICATION |
|-------------------------------|------------------|---|---------------|
| GEAR OILS<br>ATHENA EP 80W-90 | NORMAL OIL DRAIN | ALL MANUAL GEARBOXES<br>INCLUDING I-SHIFT | API GL-4      |
| AUTOTRANS MVA                 | NORMAL OIL DRAIN | MOST AUTOMATIC<br>GEARBOXES               |               |
|                               |                  |   |               |

| PRODUCT                         | FEATURES         | APPLICATION                          | SPECIFICATION |
|---------------------------------|------------------|--------------------------------------|---------------|
| FINAL DRIVE<br>ATHENA HD 80W-90 | NORMAL OIL DRAIN | ALL AXLES UNDER<br>NORMAL CONDITIONS | API GL-5      |
| ATHENA HD 85W-140               | NORMAL OIL DRAIN | ALL AXLES UNDER<br>SEVERE CONDITIONS | API GL-5      |

# COMMERCIAL PRODUCT GUIDE

| IVECO                               |  |                          |   |
|-------------------------------------|--|--------------------------|---|
| PRODUCT                             | FEATURES   | APPLICATION              | SPECIFICATION                                       |
| ENGINE OILS<br>TAURUS UHPD<br>5W-30 | GREATER PROTECTION<br>FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL ENGINES EXCEPT DAILY | ACEA E4<br>OIL CHANGE INTERVAL:<br>UP TO 100,000 km |
| TAURUS SHPD E7<br>15W-40            | EXTENDED OIL DRAIN                                       | ALL ENGINES EXCEPT DAILY | ACEA E7<br>OIL CHANGE INTERVAL:<br>UP TO 100,000 km |
| OPTIMA VIMAX<br>LL 5W-30            | NORMAL OIL DRAIN   | ALL IVECO DAILY          | ACEA B5<br>OIL CHANGE INTERVAL:<br>UP TO 40,000 km  |

| PRODUCT                                     | FEATURES                                 | APPLICATION                               | SPECIFICATION |
|---|--|---|---------------|
| GEAR OILS<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>EXTENDED OIL DRAIN | ALL MANUAL GEARBOXES<br>EXCEPT EUROTRONIC | API GL-4/5    |
| ATHENA SUPER<br>M 80W-90                    | NORMAL OIL DRAIN                         | ALL MANUAL GEARBOXES<br>EXCEPT EUROTRONIC | API GL-4/5    |
| AUTOTRANS MVA                               | NORMAL OIL DRAIN                         | ALL AUTOMATIC GEARBOXES                   |               |

| PRODUCT                                       | FEATURES   | APPLICATION           | SPECIFICATION |
|---|--|-----------------------|---------------|
| FINAL DRIVE<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL AXLES             | API MT-1      |
| ATHENA SUPER<br>M 80W-90                      | NORMAL OIL DRAIN   | ALL AXLES             | API MT-1      |
| ATHENA HD<br>85W-140                          | NORMAL OIL DRAIN   | ALL AXLES EXCEPT MT-1 | API GL-5      |

#### **MERCEDES BENZ**

| PRODUCT   | FEATURES   | APPLICATION                             | SPECIFICATION   |
|---|--|---|---|
| ENGINE OILS<br>TAURUS EURO PLUS<br>10W-40/TAURUS<br>EURO 5 10W-40 | LOW SAPS<br>EXTENDED OIL DRAIN<br>GREATER PROTECTION | ALL ENGINES                             | MB 228.51<br>OIL CHANGE INTERVAL:<br>UP TO 100,000 km |
| TAURUS XHPD<br>10W-40   | EXTENDED OIL DRAIN                                   | ALL ENGINES EXCEPT<br>SPRINTER AND VITO | MB 228.5<br>OIL CHANGE INTERVAL:<br>UP TO 100,000 km  |
|   |  |   |   |

| PRODUCT                                 | FEATURES         | APPLICATION                               | SPECIFICATION |
|---|------------------|---|---------------|
| <mark>GEAR OILS</mark><br>ATHENA EP 80W | NORMAL OIL DRAIN | MOST MANUAL GEARBOXES<br>WITH OIL COOLERS | API GL-4      |
| AUTOTRANS MVA                           | NORMAL OIL DRAIN | MOST AUTOMATIC GEARBOXES                  | MB 236.9      |
|   |                  |   |               |

| PRODUCT                                       | FEATURES   | APPLICATION           | SPECIFICATION |
|---|--|-----------------------|---------------|
| FINAL DRIVE<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>FUEL ECONOMY<br>EXTENDED OIL DRAIN | MOST AXLES (NOT HL-6) | API GL-5      |
| ATHENA HD 90                                  | NORMAL OIL DRAIN   | MOST AXLES (NOT HL-6) | API GL-5      |

#### **SCANIA**

| PRODUCT                                   | FEATURES                                 | APPLICATION                            | SPECIFICATION   |
|---|--|--|---|
| ENGINE OILS<br>TAURUS RESILIENT<br>10W-40 | EXTENDED OIL DRAIN<br>GREATER PROTECTION | EURO 5 AND 6 AND<br>OLDER ENGINES      | SCANIA LDF-3<br>OIL CHANGE INTERVAL:<br>UP T0 90,000 km   |
| TAURUS EURO PLUS<br>10W-40                | LOW SAPS<br>GREATER PROTECTION           | EEV ENGINES                            | SCANIA LOW ASH<br>OIL CHANGE INTERVAL:<br>UP TO 60,000 km |
| TAURUS ROBUST<br>15W-40                   | EXTENDED OIL DRAIN                       | ALL ENGINES EXCEPT DPF                 | SCANIA LDF<br>OIL CHANGE INTERVAL:<br>UP TO 60,000 km     |
| TAURUS SHPD E7<br>15W-40                  | NORMAL OIL DRAIN                         | ALL ENGINES EXCEPT<br>DPF & EURO 5 XPI | ACEA E7<br>OIL CHANGE INTERVAL:<br>UP TO 45,000 km        |

| PRODUCT                                     | FEATURES   | APPLICATION          | SPECIFICATION  |
|---|--|----------------------|----------------|
| GEAR OILS<br>ATHENA SUPER<br>SYNGEAR 75W-90 | GREATER PROTECTION<br>FUEL ECONOMY<br>EXTENDED OIL DRAIN | ALL MANUAL GEARBOXES | SCANIA STO 1:0 |
| ATHENA SUPER<br>M 80W-90                    | NORMAL OIL DRAIN   | ALL MANUAL GEARBOXES | SCANIA STO 1:0 |

| PRODUCT                                  | FEATURES         | APPLICATION | SPECIFICATION  |
|--|------------------|-------------|----------------|
| FINAL DRIVE<br>ATHENA SUPER M<br>85W-140 | NORMAL OIL DRAIN | ALL AXLES   | SCANIA STO 1:0 |
|  |                  |             |                |

